



## COMMERCIAL SERIES

### DURABILITY & RELIABILITY

The Trailtech Commercial series trailers deliver durability, reliability and serviceability in each model. For general farm, hotshot or long haul trucking, the Commercial series trailers are available in a range of models to match your range of loads.



# SPECIFICATIONS

| Features  | H270TPH 20'                              | H270TGNBT 20'                                 | H370TGNBT 24'                                 | H370TGN 30'                                   |
|---|--|---|---|---|
| <b>Main Frame</b>                               | 10" I-Beam                               | 10" I-Beam                                    | 10" I-Beam                                    | 10" I-Beam                                    |
| <b>Structural Tubing Crossmembers</b>           | 3 x 2 . 125                              | 3 x 2 . 125                                   | 3 x 2 . 125                                   | 3 x 2 . 125                                   |
| <b>Axles</b>                                    | (2) 7000 lb Rubber Ride Electric Braking | (2) 7000 lb Rubber Ride Electric Braking      | (3) 7000 lb Rubber Ride Electric Braking      | (3) 7000 lb Rubber Ride Electric Braking      |
| <b>Overall Width</b>                            | 102"                                     | 102"  | 102"  | 102"  |
| <b>Deck Height</b>                              | 38"                                      | 38"   | 38"   | 38"   |
| <b>Gooseneck Coupler</b>                        | ---                                      | 2 5/16"                                       | 2 5/16"                                       | 2 5/16"                                       |
| <b>Pintle Hitch with Adjustable Lunette Eye</b> | Standard                                 | ---   | ---   | ---   |
| <b>Tires (Radial)</b>                           | ST235/80R16                              | ST235/80R16                                   | ST235/80R16                                   | ST235/80R16                                   |
| <b>Slide in Ramps</b>                           | Standard                                 | ---   | ---   | Standard                                      |
| <b>Beavertail &amp; Double Pivot Ramps</b>      | ---                                      | Standard                                      | Double Pivot Spring Assisted TECH Ramps       | ---   |
| <b>Options</b>                                  | Spare Tire, Rim & Carrier                | Spare Tire, Rim & Carrier, Gooseneck King Pin | Spare Tire, Rim & Carrier, Gooseneck King Pin | Spare Tire, Rim & Carrier, Gooseneck King Pin |
| <b>Curb Weight (approx.)</b>                    | 4225 lb                                  | 4674 lb                                       | 5335 lb                                       | 6382 lb                                       |

*All models come standard with: LED Lights, 12,000 lb Side crank jack, Wood deck, Rub rail c/w stake pockets, White spoke rims w/chrome centers.*

# FEATURES

## Beavertail & Double Pivot Ramps

The 5' beavertail creates an ideal loading incline combined with the ease of spring assisted ramps.

## Steps & Grab Handles

Gooseneck step and grab handles make it easier and safer to get up on to the trailer deck.

## Open Cleated Beavertail

The open cleated beavertail eliminates the slippage common on wooden beavertails.

## Double Pivot Spring Assisted TECH Ramps

It is now easier than ever to extend the length of your deck with the double pivot spring assisted TECH ramps.

## Dual Drop Foot Jacks

Dual HD drop foot jacks and expanded metal basket are standard on all goosenecks, for increased stability, lift and storage capacity.

## Hitches

Models are available with either pintle or gooseneck hitches allowing you to match any tow vehicle requirements.

# OPTIONS

## Spare Tire, Rim and Carrier

Available on:

H270TGNBT 20', H370TGNBT 24', and H370TGN 30'

## ST235/85R16 "G" tire upgrade

Available on:

H270TGNBT 20', H270TGNBT 20', H370TGNBT 24', and H370TGN 30'

## Double Pivot Spring assisted TECH Ramps

Available on:

H270TGNBT 20', and H370TGNBT 24'

## Gooseneck c/w kingpin coupler

Available on:

H270TGNBT 20', H370TGNBT 24', and H370TGN 30'

