





CONSTRUCTION SERIES

BUILT FOR STRENGTH

When you need strength and value, the Trailtech Construction series trailers deliver it to you. This series is built to work using a channel iron main frame and tubing crossmembers, and axles that can bear the load.



56675 - CELL270-18 DPR

SPECIFICATIONS

Features	CELL270-18	CELL270 - 20
Main Frame	6" Tubing	6" Tubing
Crossmembers	Formed	Formed
Axles	(2) 7000 lb Electric Braking	(2) 7000 lb Electric Braking
Hitch	Adjustable 2 5/16 inch Ball Coupler	Adjustable 2 5/16 inch Ball Coupler
Jack	8000 lb Drop Foot	8000 lb Drop Foot
Overall Width	102 inches	102 inches
Inside Fender Width	82.5 inches	82.5 inches
Deck Height	25.25 inches	25.25 inches
Slide in Ramps	Standard	Standard
Flip Up Ramps	Optional	Optional
Tires (Radial)	ST235/80R16	ST235/80R16
LED Lights	Standard	Standard
Curb Weight (approx.)	2359 lb	2492 lb

All models have the following standard features: LED Lights and White spoke rims w/chrome centers.

FEATURES

Spare Tire Carrier

All CEL models have available an optional spare tire, rim & carrier. This allows you to have a spare right on the trailer.

HD Side Crank Jack

The heavy duty side crank drop leg jack is bolted to the trailer and is easily removeable.

Fender Guards

The fender guard protects against the unexpected and will keep your fenders looking good as new for years to come. This is all done without sacrificing payload space.

Flip-up Ramps

All CEL models are available with slide in ramps, and when loading heavier equipment the extra support of the flip up ramps will meet your needs.

Adjustable Ball Coupler

Hooking up a Construction series trailer is now easier than ever using the adjustable ball coupler to raise or lower the height.

OPTIONS

Spare tire and rim

Available on:

CEL270 18' and CEL270 20'

